



# Fenk Plus L

Fertilizer

## Fertilizer solution based on iron chelate EDDHSA

### Composition:

Iron (Fe) soluble in water: 2 % w/w

### Characterystics:

– Aspect: Dark brown liquid – pH: 7,5 – Specific weight (20°C): 1,33 gr/cc

Potassium salt of EDDHSA shows better results due to the high potassium content that enhances iron chelate performance.

This fertilizer is typically used in horticulture, fruit trees and in general in any kind of culture.

It is used also as iron source in nutritional mixes.

Its application is recommended in medium to high pH soils by fertigation or foliar application.

### Crops:

Recommended for all type of crops.

### Instructions:

We recommend treatments at the end of Winter-beginning of spring in order to achieve best results. There are different application methods: DIRECT TO THE SOIL. Product is diluted in enough water and directly applied to the root. It is recommended in this case watering field just after. DRIP IRRIGATION. In this case, it is recommended to apply product in two steps: 60% during sprouting and 40% during fruit growth stage. It is always interesting to share total dose to apply in as many applications as possible.

SOIL INJECTION. Carry out 5-8 injections into the soil for each tree at more or less 30 cm depth.

### Dosage:

Type of application	Young plant	Mature plant
FRUIT Trees	50 cc/plant	160 – 265 cc/plant
CITRICS	24 – 75 cc/plant	75 – 100 cc/plant
GRAPES	10 cc/plant	30 cc/plant
STRAWBERRY	3 – 5 l/Ha	5 – 8 l/Ha
HORTICOLES	5 – 6 l/Ha	10 l/Ha
FLOWERS/ ORNAMENTALS	4 – 5 cc/m2	12 – 13 cc/m2

### Packing:

Presentation in plastic bottles / jerrycans of 1,5,20 liters and IBC containers of 1000 liters.

It is recommended not to exceed the recommended doses

Note: The information contained in this sheet has been prepared according to our current knowledge and should only be understood as a guide. This company is solely responsible for the composition, formulation and content of its products and, in no case for the form of use made by the customer. The results and effectiveness of our products on a surface not exceeding 100m2. This company will not be, in any case responsible for the damages that may be caused in case of non-compliance with these instructions.