

[Skip to content](#)

Actiflow NPK 16-16-16



Fertilizer

Description:

Concentrated NPK gel (16:16:16 w/v)

Composition:

Total Nitrogen (N): 12 % w/w (15,6 % w/v)

Ammonia Nitrogen (N): 1,20 % w/w (1,56 % w/v)

Ureic Nitrogen (N): 10,8 % w/w (14,04 % w/v)

Phosphor (P₂O₅) soluble in water: 12 % w/w (15,6 % w/v)

Potassium (K₂O) soluble in water: 12 % w/w (15,6 % w/v)

Iron (Fe) soluble in water chelated by EDTA: 0,096 % w/w (0,125 % w/v)

Manganese (Mn) soluble in water chelated by EDTA: 0,036 % w/w (0,047 % w/v)

Zinc (Zn) soluble in water chelated by EDTA: 0,027 % w/w (0,035 % w/v)

Copper (Cu) soluble in water chelated by EDTA: 0,066 % w/w (0,086 % w/v)

Molybdenum (Mo) (Ammonium molybdate): 0,004 % w/w (0,005 % w/v)

Boron (B) Ethanolamine: 0,034 % w/w (0,044 % w/v)

Characterystics:

HORTICULTURE AND FRUIT TREES AND STRAWBERRY - Aspect: Yellow-greenish flow - pH: 8,5 - Specific Gravity (20°C): 1,30 gr/cc

Before germination and fruit setting, flowering and postflowering.

It improves sprouting and growth of stems and leaves, maintaining flowering and fruiting.

Crops:

Recommended for all type of crops.

Instructions:

We recommend using this product when the crop is active, active growth, flowering and fructification.

FOLIAR APPLICATION: When the plant is active. It is convenient to wet completely the whole surface of the plant.

Dosage

	Applications	Foliar Doses	Irrigation Doses	Nº applications
OLIVES	250-500 cc/Hl	6 l/Ha	Before germination and fruit setting.	

Packing:

Presentation in plastic bottles / jerrycans of 1,5,20 liters and IBC containers of 1000 liters.

It is recommended not to exceed the recommended doses

Note: The information contained in this sheet has been prepared according to our current knowledge and

should only be understood as a guide. This company is solely responsible for the composition, formulation and

co
Copyright © 2026 Vitafixol
of Legal

da

S