



# Ferapid L

Fertilizer

## Iron chelate EDTA

### Composition:

Iron (Fe) soluble in water: 7 % w/w  
Iron (Fe) chelated by EDTA: 7 % w/w

### Characterystics:

– Aspect: Dark brown liquid – pH: 8,5 – Specific weight (20°C): 1,36 gr/cc

Effective for the prevention and correction of ferric chlorosis.  
Recommended for crops with iron deficiency physiopathy, especially in hidoponic crops.

### Crops:

Recommended for all type of crops.

### Instructions:

We recommend treatments at the end of Winter-beginning of spring in order to achieve best results. It can be used:  
APPLICATION IN HYDROPONIC CROPS: Apply the product mixed with the NPK fertilizers and the other trace elements and additives, in the usual way in this type of crops.  
It can be use in foliar applications

### Dosage:

Type of application	Light deficiency	Severe deficiency
FRUIT TREES	50 cc/plant	50 – 150 cc/plant
VINEYARD	8 cc/plant	12,5 - 25 cc/plant
HORTICOLES	4 l/Ha	8 l/Ha
FLOWERS/ ORNAMENTALS	3 cc/m2	10 cc/m2

### Packing:

Presentation in plastic bottles / jerrycans of 1,5,20 liters and IBC containers of 1000 liters

It is recommended not to exceed the recommended doses  
Note: The information contained in this sheet has been prepared according to our current knowledge and should only be understood as a guide. This company is solely responsible for the composition, formulation and content of its products and, in no case for the form of use made by the customer. The results and effectiveness of our products on a surface not exceeding 100m2. This company will not be, in any case responsible for the damages that may be caused in case of non-compliance with these instructions.